

**BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)**

**Chapter  
09**

**Transport**

**Multiple Choice Questions (M.C.Qs)**

**Encircle the correct answer:**

1. The movement of organic materials (food) takes place through:  
(a) xylem (b) vessels (c) tracheid (d) phloem
2. What regulates the flow of water through the xylem?  
(a) Passive transport by the endodermis  
(b) The number of companion cells in the phloem  
(c) The evaporation of water from the leaves  
(d) Active transport by sieve-tube membrane
3. Phloem transport of sucrose can be described as going from "source to sink" which of the following would not normally function as a sink?  
(a) Mature leaf (b) Storage organ (c) Growing root (d) Both 'b' & 'c'
4. Human plasma proteins include which of the following?  
(I) Fibrinogen (II) Haemoglobin (III) Albumin  
(a) I only (b) II only (c) I and II (d) I and III
5. Which of these are involved in the clotting of blood?  
(a) Platelets (b) Haemoglobin (c) Albumin (d) Globulin
6. In human heart blood returning from lungs first drains into the:  
(a) Left atrium (b) Left ventricle (c) Right atrium (d) Right ventricle
7. Root hairs are most important to a plant because they:  
(a) store starch  
(b) contain xylem tissue  
(c) provide a habitat for nitrogen fixing bacteria  
(d) increase the surface area of absorption
8. A type of circulatory system blood flow through the spaces among tissues called:  
(I) open type circulatory system (II) close type circulatory system  
(III) pulmonary circulatory system  
(a) I only (b) II only (c) I and II (d) II and III
9. Part of root between epidermis and endodermis called:  
(a) xylem (b) root hair (c) phloem (d) cortex
10. Movement of water molecules from the area of higher potential to the area of lower water potential called:  
(a) diffusion (b) osmosis (c) active transport (d) water potential
11. Water and mineral salts enter the plant through:  
(a) stem (b) root (c) leaf (d) branch

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

- 12.** Root has a root tip which is the growing part of root covered by:  
 (a) root membrane (b) root hairs (c) root hat (d) root cap
- 13.** Root is highly branched and each branch is heavily covered by:  
 (a) root hairs (b) root cap (c) root membrane (d) cell wall
- 14.** Each root hair is a fine tubular outgrowth of an/a:  
 (a) phloem cell (b) xylem cell (c) epidermal cell (d) cortex
- 15.** The outer layer of root cells consists of:  
 (a) cortex (b) epidermis (c) phloem (d) xylem
- 16.** Upward movement of water with mineral is called:  
 (a) osmosis (b) ascent of sap (c) cell-sap (d) diffusion
- 17.** Minerals are taken up by root hair in two ways:  
 (I) Diffusion (II) Active transport (III) Osmosis (IV) Passive Transport  
 (a) I & III (b) II & III (c) I & II (d) I & IV
- 18.** The loss of internal water of plant in the form of vapours from aerial part of plant is called:  
 (a) evaporation (b) vapourization (c) transpiration (d) transportation
- 19.** Transpiration mainly takes place through special pores guarded by specialized guard cells called:  
 (a) stomata (b) guard cell (c) tracheid (d) sieve cells
- 20.** They are the pores usually found in the leaf epidermis.  
 (a) guard cell (b) stomata (c) tracheid (d) cortex
- 21.** Stomata are surrounded by two kidney shaped:  
 (a) guard cells (b) tracheid (c) cortex (d) sieve cells
- 22.** They control the opening and closing of stomata.  
 (a) sieve cells (b) tracheid (c) guard cell (d) sink cell
- 23.** In cell, transpiration maintains:  
 (a) low concentration of water and low concentration of solutes  
 (b) high concentration of water and low concentration of solutes  
 (c) high concentration of water and high concentration of solutes  
 (d) low concentration of water and high concentration of solutes
- 24.** The high solute potential of leaf cells attract:  
 (a) more water (b) less water (c) more minerals (d) less minerals
- 25.** The rate of transpiration decreases with the:  
 (a) increase in wind (b) low atmospheric pressure  
 (c) decrease of humidity (d) increase of humidity
- 26.** If the atmospheric pressure is low, the rate of transpiration will be:  
 (a) become zero (b) the same (c) decreased (d) increased
- 27.** Types of transport tissues in plants are:  
 (a) five (b) four (c) three (d) two
- 28.** In flowering plants xylem is made up of:  
 (a) only one type of tissue (b) two types of tissues  
 (c) three types of tissues (d) four types of tissues
- 29.** The wall of these vessels become strong by the deposition of chemical substance called lignin.  
 (a) Xylem (b) Phloem (c) Cortex (d) Plasmodesmata

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

30. Dead cells of xylem vessels arranged vertically have empty space inside called:  
(a) lignin (b) lumen (c) sieve plate (d) tracheid
31. It conducts manufactured food (sucrose) from part of plant where it is synthesized to other parts of the plant where it is required.  
(a) Phloem (b) Xylem (c) Cortex (d) Sieve cells
32. The movement of organic materials (food) takes place through:  
(a) tracheid (b) cortex (c) phloem (d) xylem
33. The movement of prepared food from leaves to different parts of plant through phloem elements is called:  
(a) transportation (b) photosynthesis (c) transpiration (d) translocation
34. The loss of water from mesophyll cells make them:  
(a) flaccid (b) turgid (c) shrink (d) None of them
35. Transpiration facilitates:  
(a) ascent of sap (b) respiration (c) none of these (d) all of these
36. Transport of various substances within the body of an animal is called:  
(a) respiratory system (b) circulatory system  
(c) excretion (d) None of them
37. In this type of circulatory system blood flows through the spaces among tissue so it directly comes in contact with tissues.  
(a) Respiration (b) Closed circulatory system  
(c) Open circulatory system (d) In both 'a' & 'b'
38. In open circulatory system, blood remains filled in the open tissue spaces called:  
(a) platelet (b) vessel (c) heart (d) sinuses
39. Open type circulatory system is found in:  
(a) arthropods & molluscs (b) arthropods & annelids  
(c) annelids & molluscs (d) Chordates & annelids
40. This type of circulatory system allows blood to flow inside the closed tubular blood vessels and never comes out in direct contact with tissues.  
(a) Respiration (b) Closed circulatory system  
(c) Open circulatory system (d) In both 'a' & 'c'
41. In man, closed type circulatory system is found, which consists of:  
(a) heart, blood and blood vessels (b) blood, blood vessels and lungs  
(c) blood, blood vessels and kidneys (d) blood, blood vessels and spinal cord
42. Blood is a special type of:  
(a) organ (b) cell (c) tissue (d) system
43. Blood consists of two parts:  
(a) plasma & water (b) plasma & corpuscles  
(c) corpuscles & water (d) plasma & fibrinogen
44. By volume, the whole blood consists of:  
(a) 55% plasma (b) 65% plasma (c) 75% plasma (d) 80% plasma
45. This much % of plasma is water.  
(a) 95 (b) 90 (c) 75 (d) 55

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

46. *These are present in blood for clotting of blood.*  
 (a) Sulphates (b) Salts of calcium (c) Chlorides (d) Phosphates
47. *They play important part in clotting of blood.*  
 (a) Serum albumin & Serum globulin (b) Serum albumin & Fibrinogen  
 (c) Fibrinogen & Prothrombin (d) Serum globulin & Prothrombin
48. *They produce in bone marrow.*  
 (a) RBCs (b) WBCs (c) Platelets (d) plasma
49. *Average life of Erythrocytes (RBCs) is:*  
 (a) 90 days (b) 120 days (c) 150 days (d) 165 days
50. *Places of destruction of Erythrocytes (RBCs) are:*  
 (a) kidneys & liver (b) kidneys & spleen (c) spleen & liver (d) liver & gall bladder
51. *Colourless, nucleated, irregular cells are:*  
 (a) plasma (b) platelets (c) RBCs (d) WBCs
52. *They protect the body by killing germs that enter the body.*  
 (a) WBCs (b) RBCs (c) Platelets (d) Plasma
53. *62% of leucocytes (WBCs) are:*  
 (a) neutrophils (b) eosinophils (c) basophils (d) monocytes
54. *The function of platelets is:*  
 (a) to produce antibodies (b) to form clot  
 (c) to carry gases (d) All of them
55. *In this type of blood cancer, number of WBCs increases and RBCs decreases.*  
 (a) Leukemia (b) Thalassemia  
 (c) Thalassemia major (d) Anemia
56. *Heart is enclosed in a fibrous bag like protective cover called:*  
 (a) septum (b) tricuspid (c) pericardium (d) vena cava
57. *Atria are completely separated from each other by:*  
 (a) ventricles (b) inter ventricular septum  
 (c) auriculo-ventricular aperture (d) inter-atrial septum
58. *Auriculo ventricular aperture connects:*  
 (a) atrium with atrium (b) atrium with ventricle  
 (c) ventricle with ventricle (d) None of the above
59. *Tricuspid valve connects:*  
 (a) the left atrium with left ventricle (b) the left atrium with right ventricle  
 (c) the right atrium with right ventricle (d) the left atrium with right atrium
60. *Bicuspid valve connects:*  
 (a) the left atrium with left ventricle (b) the left atrium with right ventricle  
 (c) the right atrium with right ventricle (d) the left atrium with right atrium
61. *To prevent backward flow of blood, the pulmonary arch and systemic aorta, both are guarded by:*  
 (a) semi-lunar valve (b) tricuspid valve (c) bicuspid valve (d) mitral valve
62. *It pumps blood to lungs.*  
 (a) The left atrium (b) The right atrium (c) The left ventricle (d) The right ventricle

## **BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)**

=====

- 63.** *It pumps blood to all other parts of the body.*  
(a) The left atrium (b) The right atrium  
(c) The left ventricle (d) The right ventricle
- 64.** *The circulation of blood in our body is called:*  
(a) single circuit (b) double circuit (c) tri circuit (d) tetra circuit
- 65.** *The deoxygenated blood from all over the body except lungs received in:*  
(a) left atrium (b) right atrium (c) left ventricle (d) right ventricle
- 66.** *The largest artery of our body is:*  
(a) aorta (b) pulmonary artery  
(c) femoral artery (d) systemic aorta
- 67.** *Point out the mismatch:*  
(a) Hepatic artery → brain (b) Renal artery → kidney  
(c) Coronary artery → heart (d) All of them are correct
- 68.** *On average, a healthy heart beats are:*  
(a) 60 / min (b) 62 / min (c) 72 / minute (d) 80 / min
- 69.** *The normal range of heart rate is:*  
(a) 40 – 70 / min (b) 60 – 75 / min (c) 50 – 80 / min (d) 60 -100 / min
- 70.** *The decreasing heart rate is a result of slow heartbeat, which leads to a condition called:*  
(a) angina (b) bradycardia (c) heart attack (d) tachycardia
- 71.** *When a heart beats very fast, this condition is called:*  
(a) angina (b) bradycardia (c) heart attack (d) tachycardia
- 72.** *The innermost layer of arteries is made up of:*  
(a) epithelial tissues (b) connective tissues  
(c) muscles (d) elastic fibers
- 73.** *This layer of arteries consists mostly of smooth muscle and elastic fibers.*  
(a) Innermost layer (b) Middle layer (c) Outer layer (d) All of them
- 74.** *They have walls made up of single layer of flattened cells called endothelium:*  
(a) Arteries (b) Veins (c) Capillaries (d) None of them
- 75.** *It brings deoxygenated blood from the head, neck and arms to right atrium.*  
(a) Superior vena cava (b) Pulmonary vein  
(c) Hepatic vein (d) Renal vein
- 76.** *He was the first Arab physician to explain pulmonary circulation.*  
(a) Abdul Malik Asmai (b) Bu Ali Sina  
(c) Jabir Bin Hayan (d) Ibn-e-Nafees
- 77.** *The blood flows slower in:*  
(a) vein (b) artery (c) capillary (d) both 'b' & 'c'
- 78.** *It is a disorder in which bad fats get deposited in blood vessels internal layers.*  
(a) Anemia (b) Arteriosclerosis  
(c) Atherosclerosis (d) myocardial infarction

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

### •• Answers ••

|         |         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|---------|
| 1. (d)  | 2. (c)  | 3. (a)  | 4. (d)  | 5. (a)  | 6. (a)  | 7. (d)  | 8. (a)  |
| 9. (d)  | 10. (b) | 11. (b) | 12. (d) | 13. (a) | 14. (c) | 15. (b) | 16. (b) |
| 17. (c) | 18. (c) | 19. (a) | 20. (b) | 21. (a) | 22. (c) | 23. (d) | 24. (a) |
| 25. (d) | 26. (d) | 27. (d) | 28. (d) | 29. (a) | 30. (b) | 31. (a) | 32. (c) |
| 33. (d) | 34. (d) | 35. (a) | 36. (b) | 37. (c) | 38. (d) | 39. (a) | 40. (b) |
| 41. (a) | 42. (c) | 43. (b) | 44. (a) | 45. (b) | 46. (b) | 47. (c) | 48. (a) |
| 49. (b) | 50. (c) | 51. (d) | 52. (a) | 53. (a) | 54. (b) | 55. (a) | 56. (c) |
| 57. (d) | 58. (b) | 59. (c) | 60. (a) | 61. (a) | 62. (d) | 63. (c) | 64. (b) |
| 65. (b) | 66. (d) | 67. (a) | 68. (c) | 69. (d) | 70. (b) | 71. (d) | 72. (a) |
| 73. (b) | 74. (c) | 75. (a) | 76. (d) | 77. (a) | 78. (c) |         |         |

### Short / Detailed Answer Questions

**Q.1** Define and explain transport system in living organisms. What is its importance?

**Ans:** **Transport System:** Every organism requires number of substances for their survival and maintenance of healthy life. These substances or their raw materials are taken by organism from environment or may be from internal sources. If the distance between source and required organ is small enough, organism does not require any transport system but if the distance is too long then the organism require to develop a system called transport system. The transport system requires at least two components.

- (i) Transport of raw material from environment to organ where they required for metabolism.
- (ii) Transport of metabolites from cell to organs where they require.

Plants are autotrophs which synthesize organic biomolecules from inorganic molecules. These inorganic molecules are transported from environment into plants, converted into biomolecules. These biomolecules are also transported within the plant where they required. Animals are heterotrophs which get organic molecules as food, digest them into digestive tract, diffuse into blood and transport to organs where required.


**Q.2** Briefly describe the structure of roots.

**Ans:** **Structure of Roots:** Water and mineral salts enter the plant through root, so it is necessary to understand the external and internal structure of root. Externally, root has a root tip which is the growing part of root covered by root cap. The remaining part of root is highly branched and each branch is heavily covered by root hairs. Each root hair is a fine tubular outgrowth of an epidermal cell. It grows between soil particles and remains in close contact with the soil solution surrounding them.

Internally, we can study the root by taking transverse section (T.S.) of root. The T.S. of root shows that root is mainly consist of:

- Epidermis (Epidlema) the outer layer of cells, some of these cells have root hair.
- The Cortex part of root between epidermis and endodermis, consist of number of cellular layers.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)



### Q.3 Define passive and active transport.

**Ans:** The root absorbs water and minerals from soil through root hairs. There are two processes of transport:

- (i) **Passive Transport:** The uptake of water and mineral by osmosis and diffusion without using energy of ATP. It is due to concentration gradient i.e. always takes place from high to low quantity of substances.
- (ii) **Active Transport:** Movement of substances from low quantity to high quantity i.e. against the gradient and it requires energy of ATP. This movement is called active transport.

### Q.4 Describe the uptake of water from soil through roots in plants.

**Ans:** **Uptake of Water From Soil:** The root hair is long, thin and tubular structure. It increases the surface area which increases the rate of absorption of water and minerals. The cell membrane prevents the cell sap (a mixture of sugar, salts and amino acids in solution form) from leaking out. The cell sap has low tendency of water loss i.e. water potential, then the

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

solution of soil which result in water movement from soil to root hair. This process of water potential is called Osmosis.

**Ascent of Sap:** As a result of osmosis of water, the root hair become turgid and their cell-sap become dilute than that of adjacent cells so the water moves from root hair to their neighbour cells. In this way, water may pass from cell to cell and finally forced into xylem and ascend up to the aerial part of plant. This upward movement of water with mineral is called ascent of sap, other factor and forces are also involved in ascent of sap.

**Low Solute Quantity in Soil:** For absorption of water by root, it is necessary that the solute quantity in soil solution should be low and solute quantity in sap should be comparatively high, otherwise the direction of water movement will be reversed and plant may die due to dehydration.

### **Q.5** Describe mineral transport in plants.

**Ans:** **Mineral Transport:** Plants also require minerals i.e. nitrates, sulphates, phosphates etc. These minerals are also taken up by root hair in two ways:

- (i) By diffusion, when the concentration of certain ions in soil is higher than that in root hair cells i.e. passive transport.
- (ii) By active transport, plant requires some substance even they found in soil in low quantity. The roots have to absorb these ions against a concentration gradient by using energy of ATP, which is active transport.

### **Q.6** Define diffusion. Give two examples.

**Ans:** **Diffusion:** "It is the movement of molecules from the area of higher concentration to the area of lower concentration." OR "It is a process in which the random movement of the molecules or ions takes place from a region of higher concentration to a region of lower concentration." A few substances freely diffuse across the cell membrane. For example oxygen, carbon dioxide diffuse in and out of the cells.

**Explanation with examples:** Diffusion is a well known phenomenon. It can be clearly explained by these examples.

**Examples No 1:** When an ink drop is placed into a beaker of water, initially surrounding turns coloured. The colour then spreads progressively until all the water is uniformly coloured.

**Examples No 2:** If we spray perfume in one corner of a room, initially its fragrance will be strongest in that corner and will spread by diffusion in all areas of the room.

### **Q.7** Describe the importance of diffusion with example.

**Ans:** **Importance of diffusion:** Importance of diffusion can be described as follows:

- (i) **Help in Biological process:** In the plants during photosynthesis and respiration the exchange of carbon dioxide and oxygen gases, between the cell and the atmosphere take place by diffusion.
- (ii) **Help in transpiration:** During stomatal transpiration, water vapours from the intercellular spaces escape out in the outer atmosphere by the process.
- (iii) **Small organisms use diffusion:** Many small organisms such as Amoeba and Hydra depend on diffusion for obtaining oxygen and getting rid of carbon dioxide.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

(iv) **Large animals depends on diffusion:** In the lungs of large animals, the exchange of gases (carbon dioxide and oxygen) between air and blood also takes place by diffusion.


**Q.8** What is meant by osmosis? Write its importance.

**Ans:** **Osmosis:** "It is a special type of diffusion. In this process water molecules move from higher concentration to lower concentration through semi permeable membrane." OR

"Osmosis is a process by which solvent molecules (water) diffuse across selectively permeable membrane, from a region of low solute concentration to the high solute concentration."

**Q.9** Define transpiration.

**Ans:** **Transpiration:** Plants absorb water continuously from soil. Some of its quantity utilized in photosynthesis and other metabolic function while the rest is retained in cell to maintain turgidity of cell. Some water is removed in the form of vapours. This loss of internal water of plant in the form of vapours from aerial part of plant is called transpiration. Transpiration mainly takes place through special pores guarded by specialized guard cells called stomata (sing: stoma).




## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

### Activity: Evidence of Transpiration

- Take a potted plant and wrap a polyethylene bag around pot not around the plant to make sure that water is not coming from soil of pot and surface pot.
- Place the pot on the glass plate and cover it with dry bell jar.
- Take another jar without plant for control setup.
- Put these two jars side by side in an area where light fall on it for two hours.

**Observation:** We will observe water droplet at the bell jar which has plant while other jar remains dry.



### **Q.10** How many types of leaves are there on the basis of stomatal distribution?

**Ans:** Plants have three types of leaves on the basis of stomatal distribution.

- Leaves that have stomata at lower epidermis called bifacial leaves e.g. leaves of mango plant.
- Leaves that have stomata at both surface (upper and lower epidermis) called monofacial leaves e.g. leaves of maze plant.
- Leaves that have stomata at upper epidermis only e.g. leaves of water lily.

### Activity: To find that transpiration mainly take place through stomata perform simple experiment.

**Requirement:** Few leaves, petroleum jelly or wax, scale etc.

**Procedure:**

- Take three leaves of pepal or mango tree where stomata are mainly present at lower surface of leaves.
- The leaves should be of equal size.
- Treat leaves as follow:
  - Leaf 1-cover the upper epidermis surface with petroleum jelly or any wax.
  - Leaf 2-cover lower surface with same.
  - Leaf 3-cover both surface with same.
- Weight each leaf before and after covering.
- Hang these leaves near window in sunlight.
- After few hours note the conditions and weigh again.
- Leaf which loss more weight transpire efficiently.
- It will be observed that the leaf 1 transpire more efficiently because it has stomata at lower epidermis.

The experiment shows that most of the water vapour is lost from the surface where stomata are present.

### **Q.11** Describe the relation of transpiration with leaf surface.

**Ans:** **Relation of Transpiration with Leaf Surface:** Surface area of leaf is also an important factor for the rate of transpiration, because the larger size leaves have high number of stomata which increase the rate of transpiration.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

**Q.12** Why the leaves of desert plants modified as spines?

**Ans:** The desert plants require to save their water so they have smaller size leaves or their leaves becomes spines to reduce number of stomata as well as rate transpiration.

**Q.13** What are stomata? Describe its structure and working.

**Ans:** **Stomata:** Stomata are the pores usually found in the leaf epidermis.

**Structure:** A stoma (singular of stomata) is surrounded by two kidney shaped guard cells, these cells contain chloroplast while other epidermal cells do not. The guard cell control the opening and closing of stomata.


The inner wall of guard cell is thick and inelastic whereas the outer wall is thin, elastic and permeable.

**Mechanism of Stomata:** The changes in the turgidity of guard cell controls are opening and closing of stomata.

**Opening and Closing of Stomata:**

Stomata open when the guard cell becomes turgid and close when the guard cells become flaccid. The turgidity of guard cell is regulated by concentration of solutes present in it which mainly depends upon the rate of photosynthesis.

Opening and closing of stomata is one of the important factors to control rate of transpiration. The stomata remain open during the sunny day; as a result rate of transpiration increases. But at night they are closed, hence transpiration also stops.



**Q.14** Define the terms transpiration pull and transpiration stream.

**Ans:** **Transpiration Pull:** Transpiration maintains low concentration of water and high concentration of solute in cell i.e. high solute potential. The high solute potential of leaf cells attract more water and draw more water from xylem. This continuous withdrawal of water from xylem develops deficit or water in xylem which develops a pull or tension called transpiration pull.

**Transpiration Stream:** As a result of this transpiration pull and water attraction for other water molecules i.e. cohesion of water, what is pulled upward in the xylem vessels through a continuous column called transpiration stream, which helps in ascent of sap.

**Q.15** Describe Importance of transpiration.

**Ans:** **Importance of Transpiration:** Transpiration plays an important role in the life of plants.

(i) **Provide a Suction Force:** By active transpiration, a suction force the transpiration pull is created which helps in the upward movement of water and minerals.

(ii) **Help in Absorption:** Transpiration also increases the rate of absorption.

(iii) **Remove Excess of Water:** Transpiration helps in evaporating excess amount of water.

(iv) **Prevent Overheating:** Transpiration maintains a suitable temperature for the leaves and prevents overheating.

(v) **Help in Ascent of Sap:** It helps in ascent of sap.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

(vi) **Help in Stomatal Movement:** Stomata are opened and closed by guard cells due to transpiration which indirectly influence the process of photosynthesis and respiration.

(vii) **Cause Wilting:** Excessive loss of water from aerial parts also results in wilting and dehydration leading to death of plants in extreme conditions.

**Q.16** Describe the factors which affect the rate of transpiration.

**Ans:** **Factors Affecting the Rate of Transpiration:** The rate of transpiration is also affected by some of the following environmental factors.

(i) **Temperature:** Rate of evaporation of water from cell surface increases with increase in temperature.

(ii) **Humidity:** Transpiration takes place only when concentration of the vapours must be low outside than inside, so dry atmosphere is also the condition for transpiration. The rate of transpiration decreases with the increase in water vapours in atmosphere i.e. humidity.

(iii) **Wind:** The increase in wind velocity increases the rate of transpiration. The wind decreases the water vapours around plant and make the atmosphere dry.


(iv) **Atmospheric Pressure:** Low atmospheric pressure increases the rate of transpiration through reduction in the density of air.

**Q.17** Describe the transport of water and food in plants.

**Ans:** **Transport of Water and Food in Stem:** Flowering plants have a system of vessels for transport of water, minerals and food. These vessels are called transport or vascular tissues. There are two types of transport tissues in plants.

(i) **Xylem (Wood):** In flowering plants xylem is made up of four types of tissues but the main tissues are the xylem vessels. A xylem vessel is a long, hollow, tubular structure from root to leaf. It is made up of many dead cells arranged vertically. The walls of these vessels become strong by the deposition of chemical substance called lignin.

Dead cells of xylem vessels arranged vertically have empty space inside called lumen, without protoplasm and end walls. This tube reduces the resistance of water flowing through the xylem. It gives faster passage to sap, as a result transpiration pull is created in leaf. The thick, rigid and lignified walls of vessels also provide mechanical support which strengthens the wall.



## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

=====

(ii) **Phloem (Bast):** Like xylem, phloem is also made up of four types of tissues but mainly consist of sieve tubes and companion cells. Phloem conducts manufactured food (sucrose) from part of plant where it is synthesized in high quantity to other parts of plant where it is required.

**Sieve Tubes:** The sieve tubes or sieve tube elements of phloem is made up of columns of elongated and thin walled living cells. The transverse walls separating the cells have lots of minute pores. The cross walls look like a sieve and therefore called sieve plates.

A mature sieve tube cell has only a thin layer of cytoplasm inside the cell. This cytoplasm is connected to cells above and below through sieve plates. Each sieve tube cell has lost its central vacuole, nucleus and most organelles.

**Companion Cells:** Each sieve tube cell has a companion cell beside it, which carries out the metabolic processes need to keep the sieve tube cells alive. Each companion cell is narrow, thin walled cell with many mitochondria, cytoplasm and nucleus. Companion cells provide nutrients and help the sieve tube cells to transport manufactured food.

In contrast to sieve tube cell, the companion cells have many mitochondria to provide energy needed for the companion cells to load sugar from mesophyll cell to sieve tube cells by active transport. The perforations of sieve plates allow rapid flow of manufactured food substance through the sieve tube.

**Q.18** Define translocation. Describe Munch theory. OR Describe mechanism of translocation.

**Ans:** **Translocation:** In higher plant, only the green parts specially leaves can manufacture food and it must be supplied to other non-green parts like root, stem and flower for consumption and storage.


The movement of organic materials (food) takes place through phloem. Along with food, phloem also conducts other substances such as vitamins, hormones etc. the movement of prepared food from leaves to different parts of plant through phloem elements (sieve tubes) is called translocation.

**Mechanism of Translocation:** It is an established fact that translocation of solutes takes place through phloem but it is still debatable that how it occurs. Several hypothesis and theories have been proposed to explain the mechanism of translocation. Among them bulk flow or Munch hypothesis is the most convincing.

**Munch Theory (OR Bulk Flow Theory):** According to this hypothesis, solutes are translocated through the sieve tubes which flow in bulk from the supply end i.e. source (leaves) to the consumption end i.e. sink (root) under a turgor pressure gradient.

As a result of photosynthesis, the supply ends (leaves) have a large amount of organic solutes, which causes tremendous increase in suction pressure of leaf cells (Mesophyll cells) and they draw water from the xylem of the leaf. As consequence their turgor pressure is increased. The turgor pressure in the cells of stem and root is comparatively low and hence, the soluble organic solutes begin to flow in mass from mesophyll through sieve-tubes down to the cells of stem and root under the gradient of turgor pressure. These solutes are either consumed or stored in insoluble form. The excess water is released back into the xylem vessels.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)



**Q.19** Describe the transport in animals.

**Ans:** **Transport in Unicellular Animals:** Cytoplasm of unicellular animals remains very much close to plasma membrane which remains in contact with environment. In these animals oxygen can diffuse through the body surface and reach easily to energy producing organelles. Similarly, the waste products can rapidly move from the body by simple diffusion.

**Transport in Multicellular Animals:** On the other hand, in multi-cellular organisms like mammals including man, many cells are situated away from environment. Only simple diffusion is not enough to supply  $O_2$  (oxygen) to these cells and to get rid of wastes from there. It needs proper transport system to carry substances from one part of the body to another.

**Q.20** What is circulatory system?

**Ans:** **Circulatory System:** The system involved in the transport of various substances within the body of an animal is called Circulatory system. The circulatory system transports gases like  $O_2$ ,  $CO_2$  etc. nutrients, wastes, hormones and defense proteins.

**Q.21** How many types of circulatory system are in animals? Name and define them with examples.

**Ans:** **Types of Circulatory System:** There are two types of blood circulatory System found in animals.


- (i) Open circulatory system
- (ii) Closed circulatory system

**(i) Open Circulatory System:** In this type of Circulatory System blood flows through the spaces among tissues so it directly comes in contact with tissues. It remains filled in the open tissue space called Sinuses. After exchange of materials with tissues, blood enters the

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

pumping organs or heart which pumps it into blood vessels. These vessels drain out blood into sinuses so it remains in Circulation. This type of circulatory system found in arthropods and molluscs.

(ii) **Closed Circulatory System:** This type of circulatory system allows blood to flow inside the closed tubular blood vessels and never comes out in direct contact with tissues. Most vertebrates and some invertebrates, such as this annelid earthworm, have a closed circulatory system.



**Q.22** Which type of circulatory system is found in man? Write the names of the components of the circulatory system of man.

**Ans:** **Transport in Man:** In man, closed type of circulatory system is found, which consists of following components.

- (i) **Blood:** It is a fluid with cells and other dissolved substance.
  - (ii) **Heart:** It is a pumping, pulsatile organ.
  - (iii) **Blood Vessels:** They are tubes i.e. arteries, veins and capillaries.
- This is much more efficient and rapid system of transport.

**Q.23** What are the parts of closed circulatory system? Write about heart and its function.

**Ans:** Closed circulatory system consists of following parts:

- (i) Heart      (ii) Blood vessels      (iii) Blood

It is a muscular, pulsatile organ. It pushes blood into a blood vessel (Artery) which gives off many branches each leading to a different organ of the body. In each organ, the artery breaks up into microscopic vessels, the capillaries which form a network. The exchange of various substances between blood and the tissues of the body takes place here. Later capillaries gradually fuse together to form veins which bring the blood back to the heart.

**Function:** Heart is a muscular pumping organ & its continuous beating makes the blood to circulate in the body.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

**Q.24** What is blood? Describe the composition of blood and explain its functional importance.  
OR What is blood? Write components of blood. Also give their functions.

**Ans:** **Blood:** Blood is a special type of connective tissue, found in the form of fluid which circulates in the body. It transports substances in the body of an organism. It consists of two parts:


- (i) Plasma (ii) Corpuscles

**(i) Plasma:** Plasma is the fluid part of blood and constitutes about 55% by volume of whole blood. It is pale yellowish liquid. About 90% of plasma is water in which complex mixture of various substances are dissolved. There are dissolved mineral salts like bicarbonates, sulphates, chlorides and phosphates of sodium (Na) and potassium (K). All these are found in the form of ions. Salts of calcium are also present in blood for clotting of blood.

Soluble proteins are also present in plasma i.e. Serum albumin, Serum globulin, fibrinogen and prothrombin. The last two play important part in clotting of blood. Antibodies are also present in plasma, which are involved in fighting diseases.

Plasma contains digested food substances such as glucose, amino acids, fatty acids and vitamins. It also contains excretory products such as Urea, Uric acid and creatinine. Carbon dioxide (CO<sub>2</sub>) is also present as bicarbonate ions. It also contains hormones.

**Function:** It provides medium for exchanging of materials between the body cells and the blood.




**(ii) Corpuscles OR Blood Cells:** In man, 45% of the blood consists of blood cells. The blood cells are of following three types:

- (a) Red blood corpuscles (RBCs) (b) White blood corpuscles (WBCs)  
(c) Platelets

**(a) Red Blood Corpuscles (RBCs):** R.B.Cs in mammals are circular, disc like, biconcave cells. Their mature R.B.Cs do not have nucleus, mitochondria, endoplasmic reticulum and Golgi bodies. 1mm<sup>3</sup> (1 drop) of blood contains approximately 5 million R.B.Cs. They contain haemoglobin which is the respiratory pigment. It transports oxygen and carbon dioxide. It readily combines with oxygen in lungs and transport it to all the tissues of the body. Deficiency of haemoglobin slows down the metabolic activities. The red colour of the blood is due to this material of the RBC.

**Function:** R.B.Cs contain haemoglobin which is the respiratory pigment. It transport oxygen, from the lungs to other tissues of the body, and from the tissues, the carbon dioxide to lungs.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)




| Erythrocytes (R.B.Cs) |                                                                                                           |
|-----------------------|-----------------------------------------------------------------------------------------------------------|
| SHAPE                 | Bi-concave; Circular like disc                                                                            |
| SIZE                  | 0.007-0.008mm in diameter                                                                                 |
| COMPOSITION           | Non-nucleated, contain red pigment hemoglobin protein containing iron.                                    |
| QUANTITY              | 5,000,000/cubic millimeter                                                                                |
| PLACE OF PRODUCTION   | Bone marrow                                                                                               |
| LIFE                  | 120 days on Average                                                                                       |
| PLACE OF DISTRIBUTION | Spleen and liver                                                                                          |
| FUNCTION              | Transports O <sub>2</sub> from lungs to body cell.<br>Transports CO <sub>2</sub> from body cell to lungs. |

**(b) White Blood Corpuscles (WBCs):** They are colourless, irregular in shape, nucleated and larger than of R.B.Cs. 1mm<sup>3</sup> (1 drop) of blood contains approximately 7 thousand W.B.Cs.

They are of several types and can be distinguished on the basis of the shape of the nucleus. They have the ability to differentiate between their own body cells and the foreign cells.


**Function:** W.B.Cs are commonly known as "Police of the body" because they protect the body by killing the germs and provide defence against diseases.



## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

There are several types of white blood cells which perform different functions.

### Break down of Haemoglobin




| Type of WBCs             | Description                                                      | Average number         | Function                                                                       |
|--------------------------|------------------------------------------------------------------|------------------------|--------------------------------------------------------------------------------|
| <b>(A) Granulocytes</b>  |                                                                  |                        |                                                                                |
| Neutrophils              | About twice the size of RBCs, nucleus 2 to 5 lobed.              | 62% of W.B.Cs          | Destroys small particles by Phagocytosis                                       |
| Eosinophils              | Nucleus bilobed                                                  | 2% of W.B.Cs           | Inactivates inflammation producing substances, attack parasite                 |
| Basophils                | Nucleus bilobed                                                  | Less than 1% of W.B.Cs | Release heparin to prevent blood clots and histamine which causes inflammation |
| <b>(B) Agranulocytes</b> |                                                                  |                        |                                                                                |
| Monocytes                | 3 to 4 times larger than RBCs, nuclear shape from round to lobed | 3% of W.B.Cs           | Macrophages, destroys large particles by phagocytosis                          |
| Lymphocytes              | Slightly larger than RBCs, nucleus nearly occupies cell          | 32% of W.B.Cs          | Immune response by producing antibodies                                        |

**(iii) Platelets:** Platelets are the fragments of cells which are formed from large precursor cells in the bone marrow. On injury, exposure to the air stimulates the platelets at cut end to produce an enzyme in blood. This enzyme causes the soluble plasma protein fibrinogen to form insoluble fiber of another protein fibrin which forms a network of fibers around wound.

**Function:** It protects blood to flow that is called clot, which prevents bleeding and stops the entry of pathogen.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)



**Q.25** Describe the major functions performed by the blood.

**Ans:** Functions of blood are as follows:

- (i) **Transport of Gases:** Blood transports oxygen from the lungs to other tissues of the body and brings back CO<sub>2</sub> from the tissues to lungs.
- (ii) **To Defend the Body:** It defends the body by killing the germs, which somehow enter the body.
- (iii) **To Transport Nutrients:** It transports nutrients from the gut to all parts of the body.
- (iv) **Removal of Nitrogenous Waste:** It transports nitrogenous waste from tissues to excretory organs to expel them out.
- (v) **Transport of Hormones:** Blood transports hormones from the endocrine glands to their target organs.
- (vi) **Temperature Control:** It also maintains uniform body temperature.
- (vii) **Distribution of Heat:** Blood circulates in the body continuously and thus it helps to distribute the heat in the body uniformly to all parts of the body.
- (viii) **Stop Bleeding:** Due to presence of platelets and fibrinogen protein, blood makes a clot to stop bleeding.

**Q.26** Write a note on blood disorders.

**Ans:** **Blood Disorders:**

- (a) **Leukemia:** It is a type of cancer that affects the blood, bone marrow and lymphatic system. In this type of blood cancer, number of W.B.C.s increases and R.B.Cs decreases.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

### Symptoms:

- \* Fever of chill
- \* Frequency or severe infections
- \* Swollen lymph node
- \* Easy bleeding or burnishing
- \* Ting red spots on skin
- \* Bone pain or tenderness
- \* Persistent fatigue, weakness
- \* Loss of weight without try
- \* Enlarge liver or spleen
- \* Recurrent nose bleeding
- \* Sweating at night

**Causes:** Leukemia is thought to occur when some blood cells acquire mutations in their DNA. Some abnormalities cause the cell to grow and divide more rapidly and continue living when normal cells would die. With passage of time, these abnormal cells in the bone marrow, leading fever healthy white blood cells, red cells and platelets.

- Genetic disorder
- Exposure to certain chemicals
- Smoking
- Family history

**(b) Thalassemia:** It is the name of a group of inherited conditions that affect the blood haemoglobin. Persons having thalassemia do not produce or produce little amount of haemoglobin, which is used by red blood cells to carry oxygen around the body. Person having problem of thalassemia have following symptoms:

### Symptoms:


- \* A pale and results appearance
- \* Slowed growth and delayed puberty
- \* An enlarge spleen, liver or heart
- \* Poor appetite
- \* Dark urine
- \* Jaundice

**(c) Thalassemia Major:** It occurs when a child inherits two mutated genes, one from each parent. Children born with this disorder usually develop the symptoms of severe anemia within the first year of life. They lack the ability to produce normal, haemoglobin and feel chronic fatigue.

Thalassemia minor have occurred when a child inherit it from one of the parent. Persons have mild anemia and slight lowering of haemoglobin level in the blood. It resembles with mild iron deficiency anemia. People with this disorder do not have any symptoms.

### Q.27 Describe the external and internal structure of human heart.

**Ans:** **External Structure of Heart:** Heart is the major organ of circulatory system. It is a muscular pump which keeps the blood circulating throughout the body. It is located in the thorax slightly at the left side. It is enclosed in a fibrous bag like protective cover called Pericardium. It is conical in shape externally. The space between pericardium and heart is pericardial



## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

cavity which is filled with a fluid called pericardial fluid. This fluid reduce friction and Pericardium protects the heart, prevent it from over extension.

**Internal Structure of Heart:** Internally, it consists of four chambers:

- the upper two are thin walled called atria (singular: atrium),
- the lower two are thick walled called ventricles.

**Atria:** Atria are thin walled chambers. They are completely separated from each other by a septum called inter-atrial septum. The right atrium receives deoxygenated blood from all tissues of the body. The left atrium receives oxygenated blood from the lungs. Each atrium is connected with its ventricle by an auriculo-ventricular aperture.


The function of atria is to stretch to receive blood as it returns to the heart and then contract with enough force to push the blood through the atrioventricular valves into the ventricles. This requires a lower pressure than that developed in the ventricles, so the walls of the atria are much thicker and more elastic than those of the ventricles.

**Ventricles:** Similarly, the two ventricles are also separated from each other by a muscular partition called inter-ventricle septum.

The right atrium and right ventricle are connected by Tricuspid Valve. Similarly, left atrium and left ventricle are connected by bicuspid valve. These valves prevent the backward flow of blood from the ventricles to the atria. Two main blood vessels are arising from ventricles to carry blood from heart to all parts of the body.

The blood from the right ventricle is pumped through pulmonary arch to the lungs for oxygenation while the blood from the left ventricle is pumped through a systemic aorta to all the parts of the body. The pulmonary arch and systemic aorta, both are guarded by semi-lunar valves to prevent backward flow of blood.

There is difference in thickness and narrow in space. This is related to their functions. The right ventricle only pumps blood to the lungs while the left ventricle pumps blood to all other parts of the body. The resistance to blood flow through the body capillary networks is for higher than that through the lung capillaries so, a high pressure is developed in the systemic circulation, it requires a thicker muscle wall and narrow space.



## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)


**Q.28 Explain double circuit circulation in man. OR Explain mechanism of circulation in human.**

**Ans:** **Double Circuit Circulation in Man:** The circulation of blood in our body is called double circuit because it circulates blood in two separate circuits and enter twice in heart during complete circulation. These two circuits are:

- (i) Pulmonary Circuit - from heart to lungs and back from lungs to heart.
- (ii) Systemic Circuit - from heart to different organs and from organs back to heart.

**(i) Pulmonary Circuit:** It transports blood from right ventricle to lungs through pulmonary arteries and flow back to heart in left atrium through pulmonary veins.

The deoxygenated blood from all over the body except lungs received in right atrium and then collected into right ventricle, upon contraction of ventricle this deoxygenated blood enters into pulmonary arch which supply this blood to the lungs, where blood gives up its CO<sub>2</sub> and receives O<sub>2</sub> from air at capillary level. The deoxygenated blood now becomes oxygenated which flow back to the left atrium through pulmonary veins. This oxygenated blood now circulates through the body by Systemic Circulation.



**(ii) Systemic Circuit:** Circulation of oxygenated blood from left ventricle through systemic aorta to all organs of body and back to heart by superior and inferior vena cava as deoxygenated blood is called systemic circulation or circuit. Upon contraction the left ventricle forces oxygenated blood into systemic aorta, the largest artery of our body. Initially, the aorta gives off three branches which supply blood to head, arms and shoulders. This aorta then descends down and gives off many branches which supply blood to their respective organs e.g. a branch which supplies blood to liver called Hepatic artery, another branch called renal artery supplies blood to the kidney and coronary artery to heart etc.

**Q.29 Define heart beat and describe its phases.**

**Ans:** **Heart Beat:** The pumping of blood by the rhythmic pulsation of heart throughout the body is called heartbeat.

It is a two phase pumping action of blood that takes less than a second.

**The First Phase:** When blood is collected in the left and right atrium, the heart receives an electrical signal that causes the atria to contract. This contraction pushes blood into the right and left ventricles through tricuspid and bicuspid valves respectively.

**The Second Phase:** The second phase of pumping blood begins when the ventricles are full of blood. The electrical signals travel along a pathway of cells to the ventricles, this causes ventricles to contract. The relaxation of heart muscle and allowing the chambers to fill with blood, this phase of heartbeat is called diastole. The contraction of heart muscle and pumping the blood from the chambers into the arteries named as systole.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

### Q.30 Define heart rate.

**Ans:** **Heart Rate:** The number of heartbeats in a minute i.e. the heart rate can be measured by the beating of heart. On average, a healthy heart beats 72 times in a minute. The normal range of heart is 60-100 beats in a minute. It is necessary to keep the heart rate within the normal range. The slow or fast heart rate may cause severe heart diseases. The heart rate may vary from person to person.

### Q.31 Describe the effects of slow and fast heart rate.

**Ans:** **The Effects of Slow Heart Rate:** The decreasing heart rate is a result of slow heartbeat, which leads to condition called bradycardia. In this condition, the heart rate is too slow (to below 60 beats per minute) due to very slow heartbeat. This slow heart rate reduces amount of blood and oxygen to vital organs of body, and causes shortness of breath, dropping of blood pressure, extreme fatigue etc.

**The Effects of Fast Heart Rate:** On the other hand, when a heart beats very fast (more than 100 beats per minute), this condition is called tachycardia. Due to this rapid heart rate, the function of heart becomes very hard. It means that the heart does not have enough time to fill with blood and enough blood is pumped forward. The tachycardia is caused by the fever, dehydration, excessive caffeine or a reaction to medication. Chest pain, dizziness and fainting are the symptoms of tachycardia.

Cause of tachycardia can be:

- \* Sudden cardiac arrest
- \* Heart failure
- \* Weaken heart muscle
- \* Lung diseases

### Q.32 Define pulse rate.

**Ans:** **Pulse Rate:** Contrary to the heart rate, the pulse rate is exactly equal to the heartbeat. If the heartbeat is faster so as the pulse rate and if the heartbeat is slower, the pulse rate will be slower too. Taking a pulse is therefore a direct measure of heart rate.

### Q.33 Describe blood vessels with their structure.

**Ans:** **Blood Vessels:** These are tubes in which blood circulates in the body in a closed circulatory system. They run through all of the tissues of the body, while some blood vessels are as wide as our thumb, most of them are much finer than a human hair. There are three types of blood vessels, which are:

- (i) Arteries (ii) Veins, (iii) Capillaries.

(i) **Arteries:** The blood vessels that carry blood from heart to various organs of the body are termed as arteries.

**Function:** Arteries carry oxygenated blood (except pulmonary artery) away from the heart. Right ventricle of heart pumps blood into the pulmonary artery that goes to the lungs. Left ventricle of heart pumps blood into the aorta (largest artery in body). Every organ receives blood from arteries that branch off the aorta. The first branch called the coronary artery, carry blood to the walls of heart itself. Other branches carry blood to the brain, intestine and other organs.

**Structure:** Arteries are thick walled and more elastic than veins. Their inner space or lumen is narrow. The wall of an artery is composed of three layers.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

- (a) The innermost layer is made up of epithelial tissues.
- (b) The middle layer consists mostly of smooth muscle and elastic fibers.
- (c) The outer wall is made up of flexible connective tissues.

Because of layered structure arteries have both strength and flexibility.

The arteries on reaching closer to the tissues, divide into arterioles. The arterioles further divide into very fine branches, the capillaries.


(ii) **Veins:** Veins are the blood vessels that bring deoxygenated blood (except pulmonary vein) back to the heart. They are formed by the union of smaller branches called venules which in turn are formed by the fusion of capillaries with the other.

**Structure:** The walls of veins, like those of arteries have three layers, with muscle in the middle layer. However, the walls of vein are generally thinner than those of arteries. They have large lumen.

Blood pressure in the veins is much lower than the blood pressure in the arteries. Semilunar valves in the veins prevent backflow of blood. Flow of blood along the veins is assisted by the action of skeletal muscles on the veins.

(iii) **Capillaries:** They are microscopic blood vessels found in the cells of tissues where exchange of various substances occurs between blood and the surrounding tissues.

**Structure:** They have walls made up of single layer of flattened cells called endothelium. Capillary walls are partially permeable that enable substances diffuse readily through it. They are originated from arterioles and branches repeatedly to provide large surface area for the exchange of substances between the blood and the tissue cells.




## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

**Q.34** Describe the main arteries of human body.

**Ans:** **Main Arteries of the Body:** The pulmonary artery which originates from the right ventricle carries deoxygenated blood towards the lungs and aorta which originates from the left ventricle carries oxygenated blood towards the body. Aorta terminates into arteries of the head, neck and arms. Aortic arch curls backward to the left side of the heart and continues downwards as the dorsal aorta, which distributes blood to regions of the body below the heart.

For example, it supplies blood (oxygenated) through hepatic artery to the liver, renal artery to kidney and femoral artery to lower limb.



**Q.35** Describe the main veins of human body.

**Ans:** **Main Veins of the Body:** Blood returned to the heart by the main veins as follows: Pulmonary veins bring oxygenated blood from the lungs to the left atrium of the heart. Inferior vena cava runs upwards parallel to the dorsal aorta and brings deoxygenated blood from the lower body. Among these are renal vein bringing blood from kidneys, hepatic vein bringing blood from the liver and femoral veins bring blood from lower limb to the right atrium. Superior vena cava brings deoxygenated blood from the head, neck and arms to right atrium.

**Q.36** Who explained pulmonary and systematic circulations?

**Ans:** Ibn-al-Nafees was the first Arab Physician to explain pulmonary circulation. He believed that all the blood that reached the left ventricle passed through the lungs. William Harvey was an English Physician to explain systematic circulation in detail. He believed that blood being pumped to the brain and body by the heart.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

### Q.37 Describe cardiovascular disorders (CVD).

**Ans:** **Cardiovascular disorders (CVD):** In recent days CVD becomes leading cause of death around the world so it is essential to understand them.

**Atherosclerosis (ATH):** Most common among cardiovascular disease is atherosclerosis (ATH). ATH is disorder in which bad fats (i.e. low density lipoprotein or LDL and cholesterol) get deposited in blood vessels internal layer.

Accumulation of fats leads to gradual narrowing of lumen of blood vessel. Narrow lumen leads to gradual compromise of blood supply to target organs, and leads to myocardial infarction and stroke.

**Atherosclerosis:** It is a process in which arteries loss their elasticity due to some pathological process (e.g. ATH) or simply by aging. Loss of elasticity leads to high blood pressure which may eventually be able to lead to vascular hemorrhage.

**Causes of Myocardial Infarction:** Causes of myocardial infarction can be divided into non modifiable factors (which we cannot change) and modifiable factors (which we can change)

| <b>Non-modifiable factors</b> | <b>Modifiable factors</b>     |
|-------------------------------|-------------------------------|
| Sex (More in males)           | Stationary life (no exercise) |
| Age (More in old age)         | Smoking                       |
| Race (More in blacks)         | Stress                        |
| Family history                | Heavy alcohol consumption     |
|                               | High fat diet                 |

### Q.38 What is vascular surgery?

**Ans:** **Vascular Surgery:** Vascular surgery is a prominent field of surgery in which vessels i.e. arteries, veins and lymphatic vessels are managed by vascular surgeons. Field gained very prominence when surgery involves bypass surgeries of heart, angioplasty and fistula formation in cases of renal failure.

### Q.39 What do you know about the leading causes of death in Pakistan?

**Ans:** **Leading Causes of Death In Pakistan:** In 2018 cardiovascular disorders (ischemic heart diseases) and stroke (paralysis which is due to damage of brain tissue) becomes major cause of deaths in the world. Stationary life style, poor socioeconomic status, unavailability of state of the art facilities of health, unavailability of doctors in rural areas, lack of health and dietary awareness, etc. all contributed to increase incidence of cardiovascular disorders in our country.

### Q.40 Differentiate between the following:

- (i) Pulmonary circuit and systematic circuit
- (ii) Open type circulatory system and close type circulatory system
- (iii) Xylem and Phloem
- (iv) Arteries and Veins
- (v) W.B.Cs and R.B.Cs

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

**Ans: (i) Difference between pulmonary circuit and systematic circuit**

| <i>Pulmonary Circuit</i>                                                                                       | <i>Systemic Circuit</i>                                                                                              |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| It carries deoxygenated blood from the right ventricle of the heart to the lungs through the pulmonary artery. | It carries oxygenated blood from the left ventricle of the heart to the rest of the body by the aorta.               |
| It carries oxygenated blood from the lungs to the left atrium of the heart by the pulmonary vein.              | It carries deoxygenated blood from the body to the right atrium of the heart by the superior and inferior vena cava. |
| It is composed of pulmonary artery and pulmonary vein.                                                         | It is composed of inferior and superior vena cava, aorta, and other small blood vessels.                             |
| It carries blood to the lungs.                                                                                 | It carries blood throughout the body.                                                                                |
| It helps to release carbon dioxide from the blood while dissolving oxygen in the blood.                        | It helps to provide nutrients and oxygen to the metabolizing cells in the body.                                      |

**(ii) Difference between open type circulatory system and close type circulatory system**

| <i>open type circulatory system</i>                         | <i>close type circulatory system</i>                                                      |
|-------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| The hemolymph directly bathes the organs and tissues.       | The blood circulates within closed vessels.                                               |
| The blood and interstitial fluid cannot be distinguished.   | Blood and interstitial fluid are distinct.                                                |
| Blood is pumped into the body cavity.                       | Blood is pumped through the vessels by the heart.                                         |
| Capillary system is absent.                                 | Capillary system is present.                                                              |
| Blood is in direct contact with the surrounding tissues.    | Blood is not in direct contact with the tissues.                                          |
| Nutrients are exchanged directly between blood and tissues. | The nutrients are exchanged via tissue fluid.                                             |
| No transport of gases.                                      | Gases are transported.                                                                    |
| The fluid flowing in this system is called hemolymph.       | Fluid flowing in this system is called blood.                                             |
| No respiratory pigments are present.                        | Respiratory pigments are present.                                                         |
| The volume of blood cannot be controlled.                   | The volume of blood can be controlled by the contraction and relaxation of blood vessels. |
| Blood flow is slow.                                         | Blood flow is rapid.                                                                      |
| The open spaces are called sinuses and lacunae.             | Closed spaces involve arteries and veins.                                                 |
| Examples: Snails, clams, cockroaches and spiders            | Examples: Humans, squids, cats, earthworms.                                               |

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

### (iii) Difference between Xylem and Phloem

| Xylem                                                                                                                     | Phloem                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Xylem is a vascular tissue that transports water and dissolved minerals absorbed from the roots to the rest of the plant. | Phloem is a vascular tissue that transports soluble organic compounds prepared during photosynthesis from the green parts of the plant to the rest of the plant. |
| It is located in the centre of the vascular bundle.                                                                       | It is located on the outer side of the vascular bundle.                                                                                                          |
| Xylem forms most of the bulk of the wood.                                                                                 | Phloem forms most of the bulk of the bark.                                                                                                                       |
| Xylem tissues are found in leaves, roots, and stems.                                                                      | Phloem tissues are found in stems and leaves which later grow in the roots, fruits, and seeds.                                                                   |
| Xylem tissue is composed of xylem vessels, fibers, and tracheids.                                                         | Phloem tissue is composed of like sieve tubes, companion cells, phloem fibers, and phloem parenchyma.                                                            |
| Xylem fibers are robust and longer.                                                                                       | Phloem fibers are flexible in shorter.                                                                                                                           |
| The cells of the xylem tissue are dead cells except for the parenchyma cells.                                             | The cells of the phloem tissue are living cells except for the bast fibers.                                                                                      |
| The cell wall of the cells in the xylem is thick-walled.                                                                  | The cell wall of the cells of the phloem is thin-walled.                                                                                                         |
| The quantity of xylem tissue in the vascular bundles is more than the phloem tissue.                                      | The quantity of phloem tissue is comparatively less in the vascular tissue.                                                                                      |
| Two types of conductive cells are present in xylem; tracheids and vessels.                                                | Only one type of conductive cell is present in phloem; sieve tubes.                                                                                              |
| The conductive tissues consist of dead cells.                                                                             | The conductive tissues consist of living cells.                                                                                                                  |
| The primary function of xylem is to transport water and dissolved minerals from the root to different parts of the plant. | The primary function of the phloem is to transport the prepared sugars from the leaves to different parts of the plant.                                          |
| The transport by xylem is unidirectional; the water and mineral are only moved up from the roots.                         | The transport by phloem is bidirectional; the food can travel both up and down the plant.                                                                        |
| Xylem also aids in providing physical support to the plant.                                                               | Phloem is not involved in mechanical support.                                                                                                                    |

### (iv) Difference between Arteries and Veins

| Arteries                              | Veins                            |
|---------------------------------------|----------------------------------|
| Moves away from the heart.            | Moves towards the heart.         |
| Distributes blood to the body organs. | Collects blood from body organs. |
| Blood pressure is high in arteries.   | Blood pressure in veins is low.  |
| Valves are absent.                    | Valves are present.              |

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

|                                                                                                         |                                                                                             |
|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Carry oxygenated blood except pulmonary artery.                                                         | Carry deoxygenated blood, except pulmonary vein.                                            |
| Arteries end in capillaries.                                                                            | Veins start in blood capillaries.                                                           |
| They are deep seated.                                                                                   | They can be seen subcutaneously.                                                            |
| They do not collapse when there is no blood in it.                                                      | They collapse when there is no blood in it or cut across.                                   |
| Arteries are further divided into arterioles.                                                           | Veins are further divided into venules.                                                     |
| They are round and relatively thick walled.                                                             | Veins are usually flattened or collapsed with thin walls.                                   |
| Arteries have small lumen.                                                                              | Veins have large lumen.                                                                     |
| Arteries are reddish in colour.                                                                         | Veins are bluish in colour.                                                                 |
| Arteries show spurty movement of blood giving pulse.                                                    | Veins show sluggish movement of blood.                                                      |
| If arterial wall is injured, the blood comes-out like a fountain in a large area all around the artery. | If venous wall is injured, blood comes out, collects in a pool in a small area around vein. |

### (v) Difference between W.B.Cs and R.B.Cs

| Red Blood Cells                                                                                                             | White Blood Cells                                                        |
|-----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| These are smaller in size and more numerous in numbers.                                                                     | These are larger in size and fewer in number.                            |
| These are non-nucleated, biconcave disc like cells.                                                                         | They are nucleated and amoeboid cells and keep on changing their shape.  |
| These cells contain a special type of protein called haemoglobin (respiratory pigment) due to which they are red in colour. | Haemoglobin is absent in WBCs due to which they are white or colourless. |
| RBCs cannot diffuse out through capillary wall.                                                                             | WBCs can diffuse out through capillary walls.                            |
| RBCs help in gaseous transport.                                                                                             | WBCs help in killing bacteria and foreign particles.                     |
| RBCs settle together to form rouleaux (i.e. stack over each other due to abnormal shape).                                   | WBCs do not form rouleaux.                                               |

#### **Q.41** Why capillaries are made up of single layer of endothelium?

**Ans:** Capillaries are made up of single layer of endothelium because Substances such as glucose, oxygen, and wastes can quickly pass through it on their way to or from the cells.

#### **Q.42** Why veins contain semilunar valves in it?

**Ans:** Semilunar valves in veins prevent backflow of blood.

#### **Q.43** Why atherosclerosis cause myocardial infraction and stroke?

**Ans:** During progression of atherosclerosis, myeloid cells destabilize lipid-rich plaque in the arterial wall and cause its rupture, thus triggering myocardial infarction and stroke.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

### Solution of Review Questions

**1. Encircle the correct answer:**

See "Multiple Choice Questions (MCQs)" - Q 1 to 10

**2. Fill in the blanks:**

- (i) Loss of internal water of plant in the form of vapours from aerial parts of plants is called \_\_\_\_\_.
- (ii) In flowering plants xylem is made up of \_\_\_\_\_ types of tissues.
- (iii) Root hair is long, thin and tubular structure, it increases surface area which increases the \_\_\_\_\_.
- (iv) Opening and closing of stomata is also regulated by \_\_\_\_\_.
- (v) A type of cancer that affects the blood, bone marrow and lymphatic system called \_\_\_\_\_.
- (vi) Pumping of blood by the rhythmic pulsation of heart throughout the body is called \_\_\_\_\_.
- (vii) Relaxation of heart muscles and allowing the chambers to fill with blood called \_\_\_\_\_.
- (viii) Dead cells of xylem vessels arranged vertically have empty space inside called \_\_\_\_\_.
- (ix) Colourless, irregular in shape, nucleated and large sized cell than R.B.Cs called \_\_\_\_\_.
- (x) Inherited condition that affects the blood haemoglobin called \_\_\_\_\_.

### Answers

|      |                    |     |             |       |          |    |             |
|------|--------------------|-----|-------------|-------|----------|----|-------------|
| i.   | transpiration      | iv. | guard cells | vii.  | diastole | x. | thalassemia |
| ii.  | four               | v.  | leukemia    | viii. | lumen    |    |             |
| iii. | rate of absorption | vi. | heart beat  | ix.   | WBCs     |    |             |

**3. Define the following terms:**

- |                     |                      |                    |              |
|---------------------|----------------------|--------------------|--------------|
| (i) Blood           | (ii) Water potential | (iii) Diffusion    | (iv) Stomata |
| (v) Bifacial leaves | (vi) Humidity        | (vii) Sieve plates | (viii) Sink  |
| (ix) Granulocytes   | (x) Heart beat       |                    |              |

**Ans:** (i) **Blood:** It is a fluid with cells and other dissolved substance.

(ii) **Water Potential:** Water potential is the potential energy of water per unit volume relative to pure water in reference conditions. Water potential quantifies the tendency of water to move from one area to another due to osmosis, gravity, mechanical pressure and matrix effects such as capillary action (which is caused by surface tension). The concept of water potential has proved useful in understanding and computing water movement within plants, animals, and soil. Water potential is typically expressed in potential energy per unit volume.

(iii) See "Short/Detailed Answer Questions" – Q.6

(iv) See "Short/Detailed Answer Questions" – Q.13

(v) **Bifacial leaves:** Leaves that have stomata a lower epidermis called bifacial leaves e.g. leaves of mango plant.

## BIOLOGY (EM) NOTES FOR CLASS 9<sup>TH</sup> (FOR SINDH)

(vi) **Humidity:** Humidity is the concentration of water vapor present in the air. Humidity indicates the likelihood for precipitation, dew, or fog to be present.

(vii) **Sieve Plates:** The perforated transverse wall between two sieve elements in vascular plants (Angiosperms). The perforations in sieve plates allow water and dissolved organic solutes to flow along the sieve tube. The sieve plates are lined with callose.

(viii) **Sink:** The points of sugar delivery, such as roots, young shoots, and developing seeds, are called sinks. In other words 'sink' refers to the part of the plant where the substrate can be stored (e.g. roots or stem for starch).

(ix) **Granulocytes:** Granulocytes are a type of white blood cell that has small granules. These granules contain proteins. The specific types of granulocytes are neutrophils, eosinophils, and basophils. Granulocytes, specifically neutrophils, help the body fight bacterial infections.

(x) See "Short/Detailed Answer Questions" – Q.29

4. **Distinguish between the following in tabulated form:**

(i) Pulmonary circuit and systemic circuit

(ii) Open type circulatory system and close type circulatory system

(iii) Xylem and Phloem

(iv) Arteries and Veins

(v) W.B.Cs. and R.B.Cs

Ans: See "Short / Detailed Answer Questions" – Q.40 (i) to (v)

5. **Write short answers of following questions.**

(i) **Why capillaries are made up of single layer of endothelium?**

Ans: See "Short / Detailed Answer Questions" – Q.41

(ii) **Why transpiration is necessary for plants?**

Ans: See "Short / Detailed Answer Questions" – Q.15

(iii) **How water flow through xylem?**

Ans: The cohesion-tension theory explains how water moves up through the xylem. Inside the leaf at the cellular level, water on the surface of mesophyll cells saturates the cellulose microfibrils of the primary cell wall. The leaf contains many large intercellular air spaces for the exchange of oxygen for carbon dioxide, which is required for photosynthesis. The wet cell wall is exposed to the internal air space and the water on the surface of the cells evaporates into the air spaces. This decreases the thin film on the surface of the mesophyll cells. The decrease creates a greater tension on the water in the mesophyll cells, thereby increasing the pull on the water in the xylem vessels. The xylem vessels and tracheids are structurally adapted to cope with large changes in pressure. Small perforations between vessel elements reduce the number and size of gas bubbles that form via a process called cavitation. The formation of gas bubbles in the xylem is detrimental since it interrupts the continuous stream of water from the base to the top of the plant, causing a break (embolism) in the flow of xylem sap. The taller the tree, the greater the tension forces needed to pull water in a continuous column, increasing the number of cavitation events. In larger trees, the resulting embolisms can plug xylem vessels, making them non-functional.

(iv) **Why veins contain semilunar valves in it?**

Ans: See "Short / Detailed Answer Questions" – Q.42

(v) **Why atherosclerosis cause myocardial infraction and stroke?**

Ans: See "Short / Detailed Answer Questions" – Q.43

6. **Write detailed answers of the following questions.**

(i) **Describe structure of human heart with suitable diagram.**

Ans: See "Short / Detailed Answer Questions" – Q.27

(ii) **What is blood? Explain composition of blood and function of corpuscles.**

Ans: See "Short / Detailed Answer Questions" – Q.24

(iii) **What is transpiration? Explain mechanism of transpiration and factors affecting transpiration.**

Ans: See "Short / Detailed Answer Questions" – Q.9, Q.13 & Q.16

